

Avatar Diagnosis Overview





The federal government is requiring the use of ICD-10 starting in October 2015 for the purposes of submitting billing



Switching Early

- Starting in March, there will be a new diagnosis screen in Avatar
- Using that new diagnosis screen, providers will enter DSM 5/ICD-10 diagnoses
- San Francisco will effectively be switching to DSM 5/ICD-10 in March, effectively ~7 months before the state and federal deadline



Why Switch Early?

- Every client diagnosis will have to be updated before the October deadline (using the new DSM 5 / ICD-10 diagnosis screen)
- All billing submitted after October 2015 will need a DSM5/ICD-10 dx
- Although ICD-10 diagnoses for billing are not required until October, San Francisco is switching to DSM 5 / ICD-10 and the new diagnosis screen early to update diagnoses in time



Automatic Crosswalk

- From a clinician point of view, you will be using ICD-10/DSM 5 diagnoses staring in March
- From the state's POV, services will be sent with ICD-9 codes up until the October switch, and then with ICD-10 codes after
- This will be handled on the backend



What do I need to do?

- As there is no direct 1-to-1 correlation between DSM IV and DSM 5, every active client will need to have their diagnosis updated manually
- Reminder: Every client that is active after October, 2015 will need a diagnosis entered in the new Diagnosis screen



- In most cases, you should update the diagnosis for your client on their anniversary date, after their reassessment (when you would normally do this)
- For other clients on your caseload, their diagnosis needs to be updated by October, 2015
- Clients closed before the October deadline do not need to have their diagnosis updated



Transition Planning

- New diagnosis screen will be released in early March
- Along with this screen will be reports that can be used to see the clients on your caseload (or at your agency) that still need to have a new diagnosis entered
- The city will release recommended guidelines for ensuring that every diagnosis is updated



Timeline

January- February

• DSM 5 / ICD-10 Trainings Begin

July 1st

 Suggested goal for updating old diagnoses

March

- New diagnosis screen released
- Clinicians begin updating diagnoses
- All new clients given
 DSM 5 / ICD 10 diagnoses

October

- Switch to DSM 5 / ICD
 10 complete
- All diagnoses updated
- State is receiving ICD-10 diagnoses with all services



Recommended Timeline

In order to meet the October deadline, it is recommended:

Month	New	Update clients with an anniversary months of:	
March 2015	use	March	October
April 2015	episodes will iagnosis Scre	April	November
May 2015		May	December
June 2015		June	January
July 2015		July	February
August 2015		August	Additional time for any clean up
September 2015	All New New D	September	Additional time for any clean up or just relax





- We are still waiting for the list of included diagnoses.
- DSM Crosswalk is a guide, but are waiting for the exact list from the state.



There will be a video available online at

http://www.vimeo.com/avatarhelpdesk



After March, the old diagnosis form will no longer be available.


A report is available to see old diagnoses



Here are a few features of the new diagnosis form




Major Changes






Major Changes



Click "New Row" or "Delete Row" to add or remove a diagnosis








Diagnosis Search	Very specific diagnoses	Code Crossmapping		
DEPRESSIVE ANXIOUS	can be searched for	ICD-9 ICD-10 DSM-IV SNOMED		
Diagnosis		ive disorder, recurrent ep		
Major depressive disorder, re	ecurrent episode with anxious distress	296 F33.9 🍮		
Major depressive disorder, si	ingle episode with anxious distress	296 F32.9		
Major depressive disorder, re	ecurrent episode, mild with anxious distress	296 F33.0		
Major depressive disorder, re	ecurrent episode, moderate with anxious distress	296 F33.1		
Major depressive disorder, re	ecurrent episode, severe with anxious distress	296 F33.2		
Major depressive disorder, s	ingle episode, mild with anxious distress	296 F32.0		
Major depressive disorder, si	ingle episode, moderate with anxious distress	296 F32.1		
Major depressive disorder, s	ngle episode, severe with anxious distress	296 F32.2		
Major depressive disorder, re	ecurrent, in full remission with anxious distress	296 F33.42		
Major depressive disorder, re	ecurrent episode, in partial remission with anxious dist	tress 296 F33.41		
Major depressive disorder, s	ingle episode with psychotic features with anxious dis	tress 296 F32.3		
Major depressive disorder, s	ingle episode, in full remission with	disorder, single episode with psychotic features with anxious distres		
Major depressive disorder, s	ingle episode, in partial remission with anxious distress	s 296 F32.4		
Mived anviety denressive dis	order	300 4 F41 8		
<= Previous 25	1 through 25 of 59	Next 25 =>		
Powered By IMO Terminology	©	L2/10/2014 11:01 AM		







The Crossmapping section displays ICD-9, ICD-10, DSM IV, and DSM 5 codes


Code Crossmapping

ICD-9 ICD-10 DSM-IV SNOMED


296.34 F33.3 296.34 28475009

DSM-5: Major depressive disorder, recurrent episode,













Additional Features





Additional Features





Questions?

Avatar HelpDesk

avatarhelp@sfdph.org

Avatar Help Desk: 415-255-3788 (M-F, 8am-12pm, 1pm-6pm)