

# QUARTERLY HIV/AIDS SURVEILLANCE REPORT

## San Francisco Department of Public Health HIV/AIDS Cases Reported Through March 2013

Contents	Page
Surveillance Summary.....	1
Table 1: Adult/Adolescent HIV/AIDS Cases by Transmission Category.....	2
Table 2: AIDS Cases by Gender and Year of AIDS Diagnosis.....	3
Table 3: HIV/AIDS Cases by Gender and Year of Initial HIV Diagnosis.....	3
Table 4: AIDS Cases by Transmission Category and Race/Ethnicity.....	4
Table 5: HIV Non-AIDS Cases by Transmission Category and Race/Ethnicity.....	4
Table 6: AIDS Cases by Transmission Category and Year of AIDS Diagnosis.....	5
Table 7: HIV/AIDS Cases by Transmission Category and Year of Initial HIV Diagnosis.....	6
Table 8: AIDS Cases by Gender, Age Group and Race/Ethnicity.....	7
Table 9: HIV Non-AIDS Cases by Gender, Age Group and Race/Ethnicity.....	8
Table 10: AIDS Cases by Race/Ethnicity and Year of AIDS Diagnosis.....	9
Table 11: HIV/AIDS Cases by Race/Ethnicity and Year of Initial HIV Diagnosis.....	9
Table 12: AIDS Incidence, Mortality, and Prevalence by Year.....	10
Table 13: AIDS Cases by Initial AIDS-Defining Condition and Year of AIDS Diagnosis.....	11
Table 14: Cumulative AIDS Indicator Conditions among Persons with AIDS.....	12
Table 15: Living Adult/Adolescent HIV/AIDS Cases by Transmission Category.....	13
Table 16: Living HIV/AIDS Cases by Transmission Category and Race/Ethnicity.....	13
Table 17: Living HIV/AIDS Cases by Gender, Age Group and Race/Ethnicity.....	14

The HIV/AIDS Surveillance Report is published quarterly by the  
San Francisco Department of Public Health, HIV Epidemiology Section  
25 Van Ness Avenue, Suite 500, San Francisco, CA 94102; Phone (415) 437-6336, FAX (415) 431-0353

Director of Health: Barbara A. Garcia, MPA  
Health Officer and Director of Population Health and Prevention: Tomas Aragon, MD, DrPH  
Section Director: Susan Scheer, PhD, MPH; Surveillance Unit Director: Ling Hsu, MPH

***The HIV/AIDS Surveillance Report is accessible via internet:  
<http://www.sfdph.org/dph/files/reports/default.asp>***

# HIV/AIDS Surveillance Summary

## San Francisco (as of 03/31/2013)

Cumulative cases <sup>1</sup> :	
AIDS	29,381
HIV non-AIDS <sup>2</sup>	6,122
Cumulative AIDS deaths:	
	19,755
Living HIV/AIDS cases	
	15,760


## California<sup>3</sup> (as of 06/30/2012)

Cumulative cases:	
AIDS	164,793
HIV non-AIDS	44,723
Cumulative AIDS deaths:	
	93,017
Living HIV/AIDS cases:	
	114,354

## United States<sup>4</sup>

Cumulative AIDS cases (as of 12/31/2011):	1,172,489
Cumulative AIDS deaths (as of 12/31/2010):	642,603
Living HIV/AIDS cases (as of 12/31/2010):	898,529

### San Francisco AIDS Incidence, Mortality, and Prevalence by Year, 1980-2013<sup>5</sup>



1. Includes SF residents diagnosed in SF and SF residents diagnosed in other jurisdictions.
2. Includes HIV non-AIDS cases reported by name. HIV non-AIDS cases reported by a non-name code between July 2002 and April 2006 whose names have not been ascertained are not included.
3. CA data source: [www.cdph.ca.gov/data/statistics/Pages/OAHIVAIDSStatistics.aspx](http://www.cdph.ca.gov/data/statistics/Pages/OAHIVAIDSStatistics.aspx).
4. US data source: CDC HIV Surveillance Report 2011, vol. 23 (Table 2b, 12b, 15b). [www.cdc.gov/hiv/topics/surveillance/resources/reports/](http://www.cdc.gov/hiv/topics/surveillance/resources/reports/).
5. Reporting for recent years is incomplete. See Table 12 for actual numbers per year.

**HIV/AIDS Quarterly Surveillance Report  
Summary of San Francisco Residents with HIV/AIDS\*  
Reported as of 03/31/2013**

**Table 1. Adult/Adolescent HIV/AIDS Cases (>12 years) by Transmission Category, San Francisco, 1980-2013**

Transmission Category	AIDS		HIV non-AIDS#	
	No.	(%)	No.	(%)
Gay or bisexual male	21371	(72.8)	4479	(73.3)
Heterosexual male injection drug user	1396	( 4.8)	197	( 3.2)
Heterosexual female injection drug user	728	( 2.5)	144	( 2.4)
Gay or bisexual male injection drug user	4422	(15.1)	736	(12.0)
Lesbian or bisexual injection drug user	71	( 0.2)	25	( 0.4)
Transgender (1)	446	( 1.5)	136	( 2.2)
Hemophiliac	16	( 0.1)	2	( 0.0)
Heterosexual contact male (2)	170	( 0.6)	54	( 0.9)
Heterosexual contact female (2)	334	( 1.1)	138	( 2.3)
Transfusion recipient	140	( 0.5)	1	( 0.0)
Risk not reported/Other (3)	249	( 0.8)	198	( 3.2)
<b>Total</b>	<b>29343</b>	<b>( 100)</b>	<b>6110</b>	<b>( 100)</b>

\* Residents of San Francisco at time of HIV/AIDS diagnosis.

# Includes HIV non-AIDS cases reported by name. Excludes HIV non-AIDS cases reported by a non-name code between July 2002 and April 2006 whose names have not been ascertained.

- (1) Transgender information was collected since September 1996. Data prior to this are incomplete.
- (2) Includes persons who have had heterosexual contact with a person with HIV/AIDS or with a person who is at risk for HIV.
- (3) Includes persons for whom risk information is incomplete (due to death, refusal to be interviewed or loss to follow-up), cases still under investigation, or interviewed patients who offered no plausible risk for HIV.

**HIV/AIDS Quarterly Surveillance Report  
Summary of San Francisco Residents with HIV/AIDS\*  
Reported as of 03/31/2013**

**Table 2. AIDS Cases by Gender and Year of AIDS Diagnosis, San Francisco, 1980-2013**

Gender	Year of AIDS Diagnosis (1)					
	< 2003 No. (%)	2003 No. (%)	2004 No. (%)	2005 No. (%)	2006 No. (%)	2007 No. (%)
Male	24159 (95.0)	495 (88.4)	427 (88.0)	425 (89.3)	402 (90.1)	408 (90.3)
Female	954 ( 3.8)	40 ( 7.1)	41 ( 8.5)	38 ( 8.0)	30 ( 6.7)	33 ( 7.3)
Transgender (2)	312 ( 1.2)	25 ( 4.5)	17 ( 3.5)	13 ( 2.7)	14 ( 3.1)	11 ( 2.4)
<b>Total</b>	<b>25425 ( 100)</b>	<b>560 ( 100)</b>	<b>485 ( 100)</b>	<b>476 ( 100)</b>	<b>446 ( 100)</b>	<b>452 ( 100)</b>

Gender	Year of AIDS Diagnosis (1)					
	2008 No. (%)	2009 No. (%)	2010 No. (%)	2011 No. (%)	2012 No. (%)	2013 No. (%)
Male	378 (86.9)	288 (89.4)	259 (89.6)	208 (85.2)	192 (87.7)	23 (82.1)
Female	42 ( 9.7)	24 ( 7.5)	16 ( 5.5)	24 ( 9.8)	24 (11.0)	5 (17.9)
Transgender (2)	15 ( 3.4)	10 ( 3.1)	14 ( 4.8)	12 ( 4.9)	3 ( 1.4)	0 ( 0.0)
<b>Total</b>	<b>435 ( 100)</b>	<b>322 ( 100)</b>	<b>289 ( 100)</b>	<b>244 ( 100)</b>	<b>219 ( 100)</b>	<b>28 ( 100)</b>

**Table 3. HIV/AIDS Cases by Gender and Year of Initial HIV Diagnosis#, San Francisco, 2008-2013**

Gender	Year of Initial HIV Diagnosis (1)					
	2008 No. (%)	2009 No. (%)	2010 No. (%)	2011 No. (%)	2012 No. (%)	2013 No. (%)
Male	457 (89.4)	412 (90.7)	384 (89.7)	354 (87.2)	390 (94.2)	64 (88.9)
Female	37 ( 7.2)	24 ( 5.3)	33 ( 7.7)	45 (11.1)	23 ( 5.6)	7 ( 9.7)
Transgender (2)	17 ( 3.3)	18 ( 4.0)	11 ( 2.6)	7 ( 1.7)	1 ( 0.2)	1 ( 1.4)
<b>Total</b>	<b>511 ( 100)</b>	<b>454 ( 100)</b>	<b>428 ( 100)</b>	<b>406 ( 100)</b>	<b>414 ( 100)</b>	<b>72 ( 100)</b>

\* Residents of San Francisco at time of HIV/AIDS diagnosis.

# Includes persons with a diagnosis of HIV (not AIDS), an initial diagnosis of HIV (not AIDS) and later diagnosed with AIDS, and concurrent diagnosis of HIV and AIDS. The initial year of HIV diagnosis was determined based on the earliest date of HIV antibody test, viral load or CD4 test, initiation of antiretroviral therapy, or patient self-report of a positive HIV test.

(1) Data in recent years are incomplete due to delays in case reporting.

(2) Transgender information was collected since September 1996. Data prior to this are incomplete.

**HIV/AIDS Quarterly Surveillance Report**  
**Summary of San Francisco Residents with HIV/AIDS\***  
**Reported as of 03/31/2013**

**Table 4. AIDS Cases by Transmission Category and Race/Ethnicity, San Francisco San Francisco, 1980-2013**

Transmission Category (1)	White No. (%)	African American No. (%)	Latino No. (%)	Asian/ Pacific Islander No. (%)	Native American No. (%)
Adult/Adolescent					
Gay or bisexual male	16311 (79.4)	1583 (42.6)	2694 (72.8)	717 (76.2)	51 (41.8)
Injection drug user (IDU)	734 ( 3.6)	1046 (28.1)	252 ( 6.8)	37 ( 3.9)	18 (14.8)
Gay or bisexual male IDU	3194 (15.5)	741 (19.9)	520 (14.1)	86 ( 9.1)	46 (37.7)
Lesbian or bisexual IDU	31 ( 0.2)	24 ( 0.6)	9 ( 0.2)	2 ( 0.2)	2 ( 1.6)
Hemophiliac	8 ( 0.0)	2 ( 0.1)	5 ( 0.1)	1 ( 0.1)	0 ( 0.0)
Heterosexual (2)	124 ( 0.6)	208 ( 5.6)	121 ( 3.3)	48 ( 5.1)	4 ( 3.3)
Transfusion recipient	66 ( 0.3)	22 ( 0.6)	26 ( 0.7)	20 ( 2.1)	0 ( 0.0)
Risk not reported/Other (3)	79 ( 0.4)	77 ( 2.1)	62 ( 1.7)	25 ( 2.7)	1 ( 0.8)
Pediatric (0-12 years) (4)	8 ( 0.0)	13 ( 0.3)	10 ( 0.3)	5 ( 0.5)	0 ( 0.0)
Total	20555 ( 100)	3716 ( 100)	3699 ( 100)	941 ( 100)	122 ( 100)

**Table 5. HIV Non-AIDS Cases# by Transmission Category and Race/Ethnicity, San Francisco**

Transmission Category (1)	White No. (%)	African American No. (%)	Latino No. (%)	Asian/ Pacific Islander No. (%)	Native American No. (%)
Adult/Adolescent					
Gay or bisexual male	2976 (79.4)	367 (47.4)	804 (76.4)	281 (83.9)	23 (57.5)
Injection drug user (IDU)	129 ( 3.4)	160 (20.6)	36 ( 3.4)	5 ( 1.5)	4 (10.0)
Gay or bisexual male IDU	510 (13.6)	108 (13.9)	109 (10.4)	25 ( 7.5)	11 (27.5)
Lesbian or bisexual IDU	11 ( 0.3)	7 ( 0.9)	4 ( 0.4)	0 ( 0.0)	0 ( 0.0)
Hemophiliac	2 ( 0.1)	0 ( 0.0)	0 ( 0.0)	0 ( 0.0)	0 ( 0.0)
Heterosexual (2)	43 ( 1.1)	83 (10.7)	47 ( 4.5)	13 ( 3.9)	1 ( 2.5)
Transfusion recipient	0 ( 0.0)	1 ( 0.1)	0 ( 0.0)	0 ( 0.0)	0 ( 0.0)
Risk not reported/Other (3)	75 ( 2.0)	47 ( 6.1)	46 ( 4.4)	11 ( 3.3)	1 ( 2.5)
Pediatric (0-12 years) (4)	2 ( 0.1)	2 ( 0.3)	6 ( 0.6)	0 ( 0.0)	0 ( 0.0)
Total	3748 ( 100)	775 ( 100)	1052 ( 100)	335 ( 100)	40 ( 100)

\* Residents of San Francisco at time of HIV/AIDS diagnosis.

# Includes HIV non-AIDS cases reported by name. Excludes HIV non-AIDS cases reported by a non-name code between July 2002 and April 2006 whose names have not been ascertained.

- (1) Persons with more than one risk factor (other than the combinations listed in the tables) are tabulated only in the most likely transmission category.
- (2) Includes persons who have had heterosexual contact with a person with HIV/AIDS or with a person who is at risk for HIV.
- (3) Includes persons for whom risk information is incomplete (due to death, refusal to be interviewed or loss to follow-up), cases still under investigation, or interviewed patients who offered no plausible risk for HIV.
- (4) Includes children who have hemophilia or other coagulation disorder, have received a blood transfusion, or who have acquired their infection from an infected mother during the perinatal period.

**HIV/AIDS Quarterly Surveillance Report**  
**Summary of San Francisco Residents with HIV/AIDS\***  
**Reported as of 03/31/2013**

**Table 6. AIDS Cases by Transmission Category and Year of AIDS Diagnosis, San Francisco, 1980-2013**

Transmission Category (2)	Year of AIDS Diagnosis (1)					
	< 2003 No. (%)	2003 No. (%)	2004 No. (%)	2005 No. (%)	2006 No. (%)	2007 No. (%)
Adult/Adolescent						
Gay or bisexual male	19085 (75.1)	352 (62.9)	315 (64.9)	293 (61.6)	288 (64.6)	295 (65.3)
Injection drug user (IDU)	1744 ( 6.9)	70 (12.5)	51 (10.5)	50 (10.5)	37 ( 8.3)	37 ( 8.2)
Gay or bisexual male IDU	3893 (15.3)	106 (18.9)	92 (19.0)	98 (20.6)	91 (20.4)	82 (18.1)
Lesbian or bisexual IDU	53 ( 0.2)	3 ( 0.5)	1 ( 0.2)	3 ( 0.6)	2 ( 0.4)	0 ( 0.0)
Hemophiliac	15 ( 0.1)	0 ( 0.0)	0 ( 0.0)	0 ( 0.0)	0 ( 0.0)	0 ( 0.0)
Heterosexual (3)	304 ( 1.2)	22 ( 3.9)	16 ( 3.3)	19 ( 4.0)	20 ( 4.5)	30 ( 6.6)
Transfusion recipient	139 ( 0.5)	0 ( 0.0)	0 ( 0.0)	0 ( 0.0)	0 ( 0.0)	0 ( 0.0)
Risk not reported/Other (4)	155 ( 0.6)	6 ( 1.1)	10 ( 2.1)	13 ( 2.7)	8 ( 1.8)	8 ( 1.8)
Pediatric (0-12 years) (5)	37 ( 0.1)	1 ( 0.2)	0 ( 0.0)	0 ( 0.0)	0 ( 0.0)	0 ( 0.0)
<b>Total</b>	<b>25425 ( 100)</b>	<b>560 ( 100)</b>	<b>485 ( 100)</b>	<b>476 ( 100)</b>	<b>446 ( 100)</b>	<b>452 ( 100)</b>

Transmission Category (2)	Year of AIDS Diagnosis (1)					
	2008 No. (%)	2009 No. (%)	2010 No. (%)	2011 No. (%)	2012 No. (%)	2013 No. (%)
Adult/Adolescent						
Gay or bisexual male	266 (61.1)	208 (64.6)	166 (57.4)	142 (58.2)	143 (65.3)	14 (50.0)
Injection drug user (IDU)	30 ( 6.9)	33 (10.2)	22 ( 7.6)	32 (13.1)	18 ( 8.2)	4 (14.3)
Gay or bisexual male IDU	93 (21.4)	52 (16.1)	76 (26.3)	45 (18.4)	29 (13.2)	5 (17.9)
Lesbian or bisexual IDU	4 ( 0.9)	2 ( 0.6)	0 ( 0.0)	1 ( 0.4)	2 ( 0.9)	0 ( 0.0)
Hemophiliac	0 ( 0.0)	1 ( 0.3)	0 ( 0.0)	0 ( 0.0)	0 ( 0.0)	0 ( 0.0)
Heterosexual (3)	31 ( 7.1)	17 ( 5.3)	17 ( 5.9)	16 ( 6.6)	16 ( 7.3)	2 ( 7.1)
Transfusion recipient	0 ( 0.0)	0 ( 0.0)	0 ( 0.0)	1 ( 0.4)	0 ( 0.0)	0 ( 0.0)
Risk not reported/Other (4)	11 ( 2.5)	9 ( 2.8)	8 ( 2.8)	7 ( 2.9)	11 ( 5.0)	3 (10.7)
Pediatric (0-12 years) (5)	0 ( 0.0)	0 ( 0.0)	0 ( 0.0)	0 ( 0.0)	0 ( 0.0)	0 ( 0.0)
<b>Total</b>	<b>435 ( 100)</b>	<b>322 ( 100)</b>	<b>289 ( 100)</b>	<b>244 ( 100)</b>	<b>219 ( 100)</b>	<b>28 ( 100)</b>

\* Residents of San Francisco at time of HIV/AIDS diagnosis.

(1) Data in recent years are incomplete due to delays in case reporting.

(2) Persons with more than one risk factor (other than the combinations listed in the tables) are tabulated only in the most likely transmission category.

(3) Includes persons who have had heterosexual contact with a person with HIV/AIDS or with a person who is at risk for HIV.

(4) Includes persons for whom risk information is incomplete (due to death, refusal to be interviewed or loss to follow-up), cases still under investigation, or interviewed patients who offered no plausible risk for HIV.

(5) Includes children who have hemophilia or other coagulation disorder, have received a blood transfusion, or who have acquired their infection from an infected mother during the perinatal period.

**HIV/AIDS Quarterly Surveillance Report  
Summary of San Francisco Residents with HIV/AIDS\*  
Reported as of 03/31/2013**

**Table 7. HIV/AIDS Cases by Transmission Category and Year of Initial HIV Diagnosis#, San Francisco, 2008-2013**

Transmission Category (2)	Year of Initial HIV Diagnosis (1)					
	2008 No. (%)	2009 No. (%)	2010 No. (%)	2011 No. (%)	2012 No. (%)	2013 No. (%)
Adult/Adolescent						
Gay or bisexual male	376 (73.6)	327 (72.0)	276 (64.5)	286 (70.4)	316 (76.3)	50 (69.4)
Injection drug user (IDU)	25 (4.9)	19 (4.2)	32 (7.5)	23 (5.7)	11 (2.7)	6 (8.3)
Gay or bisexual male IDU	57 (11.2)	67 (14.8)	62 (14.5)	44 (10.8)	38 (9.2)	10 (13.9)
Lesbian or bisexual IDU	4 (0.8)	4 (0.9)	1 (0.2)	3 (0.7)	2 (0.5)	0 (0.0)
Hemophiliac	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
Heterosexual (3)	32 (6.3)	19 (4.2)	36 (8.4)	25 (6.2)	20 (4.8)	3 (4.2)
Transfusion recipient	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
Risk not reported/Other (4)	17 (3.3)	18 (4.0)	21 (4.9)	25 (6.2)	27 (6.5)	3 (4.2)
Pediatric (0-12 years) (5)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
<b>Total</b>	<b>511 (100)</b>	<b>454 (100)</b>	<b>428 (100)</b>	<b>406 (100)</b>	<b>414 (100)</b>	<b>72 (100)</b>

\* Residents of San Francisco at time of HIV/AIDS diagnosis.

# Includes persons with a diagnosis of HIV (not AIDS), an initial diagnosis of HIV (not AIDS) and later diagnosed with AIDS, and concurrent diagnosis of HIV and AIDS. The initial year of HIV diagnosis was determined based on the earliest date of HIV antibody test, viral load or CD4 test, initiation of antiretroviral therapy, or patient self-report of a positive HIV test.

- (1) Data in recent years are incomplete due to delays in case reporting.
- (2) Persons with more than one risk factor (other than the combinations listed in the tables) are tabulated only in the most likely transmission category.
- (3) Includes persons who have had heterosexual contact with a person with HIV/AIDS or with a person who is at risk for HIV.
- (4) Includes persons for whom risk information is incomplete (due to death, refusal to be interviewed or loss to follow-up), cases still under investigation, or interviewed patients who offered no plausible risk for HIV.
- (5) Includes children who have hemophilia or other coagulation disorder, have received a blood transfusion, or who have acquired their infection from an infected mother during the perinatal period.

**HIV/AIDS Quarterly Surveillance Report**  
**Summary of San Francisco Residents with HIV/AIDS\***  
**Reported as of 03/31/2013**

**Table 8. AIDS Cases by Gender, Age Group and Race/Ethnicity, San Francisco, 1980-2013**

Male Age at AIDS Diagnosis (Years)	White No. (%)	African American No. (%)	Latino No. (%)	Asian/ Pacific Islander No. (%)	Native American No. (%)	Total (1) No. (%)
0 - 12	4 ( 0.0)	4 ( 0.1)	5 ( 0.1)	4 ( 0.5)	0 ( 0.0)	19 ( 0.1)
13 - 19	12 ( 0.1)	1 ( 0.0)	15 ( 0.4)	1 ( 0.1)	2 ( 1.9)	31 ( 0.1)
20 - 24	312 ( 1.6)	70 ( 2.3)	135 ( 4.0)	26 ( 3.1)	4 ( 3.8)	554 ( 2.0)
25 - 29	1680 ( 8.4)	252 ( 8.4)	474 (14.0)	93 (11.1)	21 (20.0)	2556 ( 9.2)
30 - 39	8864 (44.2)	1164 (38.7)	1580 (46.8)	373 (44.6)	51 (48.6)	12162 (44.0)
40 - 49	6606 (33.0)	1008 (33.5)	847 (25.1)	251 (30.0)	24 (22.9)	8825 (31.9)
50 - 59	2044 (10.2)	395 (13.1)	259 ( 7.7)	66 ( 7.9)	3 ( 2.9)	2799 (10.1)
60 +	511 ( 2.6)	113 ( 3.8)	62 ( 1.8)	22 ( 2.6)	0 ( 0.0)	718 ( 2.6)
Male subtotal	20033 ( 100)	3007 ( 100)	3377 ( 100)	836 ( 100)	105 ( 100)	27664 ( 100)
Female Age at AIDS Diagnosis (Years)	White No. (%)	African American No. (%)	Latino No. (%)	Asian/ Pacific Islander No. (%)	Native American No. (%)	Total (1) No. (%)
0 - 12	4 ( 1.0)	9 ( 1.6)	5 ( 2.7)	1 ( 1.5)	0 ( 0.0)	19 ( 1.5)
13 - 19	1 ( 0.2)	2 ( 0.4)	2 ( 1.1)	0 ( 0.0)	0 ( 0.0)	5 ( 0.4)
20 - 24	16 ( 4.0)	10 ( 1.8)	12 ( 6.4)	5 ( 7.5)	1 ( 7.1)	45 ( 3.5)
25 - 29	40 (10.0)	46 ( 8.1)	26 (13.8)	11 (16.4)	1 ( 7.1)	128 (10.1)
30 - 39	157 (39.1)	204 (35.7)	62 (33.0)	25 (37.3)	8 (57.1)	465 (36.6)
40 - 49	107 (26.6)	197 (34.5)	49 (26.1)	18 (26.9)	4 (28.6)	382 (30.1)
50 - 59	45 (11.2)	77 (13.5)	18 ( 9.6)	4 ( 6.0)	0 ( 0.0)	149 (11.7)
60 +	32 ( 8.0)	26 ( 4.6)	14 ( 7.4)	3 ( 4.5)	0 ( 0.0)	78 ( 6.1)
Female subtotal	402 ( 100)	571 ( 100)	188 ( 100)	67 ( 100)	14 ( 100)	1271 ( 100)
Transgender (2) Age at AIDS Diagnosis (Years)	White No. (%)	African American No. (%)	Latino No. (%)	Asian/ Pacific Islander Native American No. (%)	Total (1) No. (%)	
13 - 29	25 (20.8)	31 (22.5)	36 (26.9)	12 (29.3)	107 (24.0)	
30 - 39	57 (47.5)	50 (36.2)	62 (46.3)	18 (43.9)	194 (43.5)	
40 +	38 (31.7)	57 (41.3)	36 (26.9)	11 (26.8)	145 (32.5)	
Transgender subtotal	120 ( 100)	138 ( 100)	134 ( 100)	41 ( 100)	446 ( 100)	

\* Residents of San Francisco at time of HIV/AIDS diagnosis.

(1) Total includes persons with multiple or unknown race.

(2) Transgender information was collected since September 1996. Certain age or race/ethnic groups are combined for transgender cases because of small number.



**HIV/AIDS Quarterly Surveillance Report**  
**Summary of San Francisco Residents with HIV/AIDS\***  
**Reported as of 03/31/2013**

**Table 9. HIV Non-AIDS Cases# by Gender, Age Group and Race/Ethnicity, San Francisco**

Male Age at Initial HIV Diagnosis (Years)	White No. (%)	African American No. (%)	Latino No. (%)	Asian/ Pacific Islander No. (%)	Native American No. (%)	Total (1) No. (%)
0 - 12	1 ( 0.0)	1 ( 0.2)	1 ( 0.1)	0 ( 0.0)	0 ( 0.0)	3 ( 0.1)
13 - 19	26 ( 0.7)	19 ( 3.3)	22 ( 2.4)	9 ( 2.9)	0 ( 0.0)	77 ( 1.4)
20 - 24	296 ( 8.2)	52 ( 9.0)	125 (13.4)	32 (10.5)	4 (11.4)	528 ( 9.4)
25 - 29	557 (15.4)	90 (15.5)	208 (22.3)	77 (25.2)	8 (22.9)	971 (17.3)
30 - 39	1560 (43.2)	189 (32.6)	386 (41.4)	142 (46.4)	16 (45.7)	2352 (41.9)
40 - 49	863 (23.9)	164 (28.3)	158 (16.9)	40 (13.1)	5 (14.3)	1264 (22.5)
50 - 59	250 ( 6.9)	46 ( 7.9)	27 ( 2.9)	6 ( 2.0)	2 ( 5.7)	333 ( 5.9)
60 +	59 ( 1.6)	18 ( 3.1)	6 ( 0.6)	0 ( 0.0)	0 ( 0.0)	84 ( 1.5)
Male subtotal	3612 ( 100)	579 ( 100)	933 ( 100)	306 ( 100)	35 ( 100)	5612 ( 100)

Female Age at Initial HIV Diagnosis (Years)	White No. (%)	African American No. (%)	Latino No. (%)	Asian/ Pacific Islander No. (%)	Native American No. (%)	Total (1) No. (%)
0 - 12	1 ( 0.9)	1 ( 0.7)	5 ( 6.4)	0 ( 0.0)	0 ( 0.0)	9 ( 2.4)
13 - 19	2 ( 1.8)	3 ( 2.0)	2 ( 2.6)	0 ( 0.0)	0 ( 0.0)	8 ( 2.1)
20 - 24	11 (10.1)	13 ( 8.8)	14 (17.9)	0 ( 0.0)	0 ( 0.0)	40 (10.7)
25 - 29	21 (19.3)	14 ( 9.5)	13 (16.7)	5 (27.8)	0 ( 0.0)	54 (14.4)
30 - 39	28 (25.7)	46 (31.3)	23 (29.5)	7 (38.9)	3 (75.0)	111 (29.7)
40 - 49	30 (27.5)	50 (34.0)	15 (19.2)	3 (16.7)	1 (25.0)	105 (28.1)
50 - 59	15 (13.8)	17 (11.6)	4 ( 5.1)	2 (11.1)	0 ( 0.0)	40 (10.7)
60 +	1 ( 0.9)	3 ( 2.0)	2 ( 2.6)	1 ( 5.6)	0 ( 0.0)	7 ( 1.9)
Female subtotal	109 ( 100)	147 ( 100)	78 ( 100)	18 ( 100)	4 ( 100)	374 ( 100)

Transgender (2) Age at Initial HIV Diagnosis (Years)	White No. (%)	African American No. (%)	Latino No. (%)	Asian/ Pacific Islander Native American No. (%)	Total (1) No. (%)
13 - 29	9 (33.3)	25 (51.0)	17 (41.5)	4 (33.3)	59 (43.4)
30 +	18 (66.7)	24 (49.0)	24 (58.5)	8 (66.7)	77 (56.6)
Transgender subtotal	27 ( 100)	49 ( 100)	41 ( 100)	12 ( 100)	136 ( 100)

\* Residents of San Francisco at time of HIV/AIDS diagnosis.

# Includes HIV non-AIDS cases reported by name. Excludes HIV non-AIDS cases reported by a non-name code between July 2002 and April 2006 whose names have not been ascertained.

(1) Total includes persons with multiple or unknown race.

(2) Transgender information was collected since September 1996. Certain age or race/ethnic groups are combined for transgender cases because of small number.

**HIV/AIDS Quarterly Surveillance Report**  
**Summary of San Francisco Residents with HIV/AIDS\***  
**Reported as of 03/31/2013**

**Table 10. AIDS Cases by Race/Ethnicity and Year of AIDS Diagnosis, San Francisco, 1980-2013**

Race/Ethnicity	Year of AIDS Diagnosis (1)					
	< 2003 No. (%)	2003 No. (%)	2004 No. (%)	2005 No. (%)	2006 No. (%)	2007 No. (%)
White	18445 (72.5)	280 (50.0)	260 (53.6)	269 (56.5)	250 (56.1)	261 (57.7)
African American	3025 (11.9)	105 (18.8)	78 (16.1)	83 (17.4)	79 (17.7)	76 (16.8)
Latino	2919 (11.5)	128 (22.9)	113 (23.3)	89 (18.7)	80 (17.9)	76 (16.8)
Asian/Pacific Islander	698 ( 2.7)	33 ( 5.9)	22 ( 4.5)	25 ( 5.3)	22 ( 4.9)	28 ( 6.2)
Native American	96 ( 0.4)	5 ( 0.9)	4 ( 0.8)	3 ( 0.6)	4 ( 0.9)	0 ( 0.0)
<b>Total (2)</b>	<b>25425 ( 100)</b>	<b>560 ( 100)</b>	<b>485 ( 100)</b>	<b>476 ( 100)</b>	<b>446 ( 100)</b>	<b>452 ( 100)</b>

Race/Ethnicity	Year of AIDS Diagnosis&					
	2008 No. (%)	2009 No. (%)	2010 No. (%)	2011 No. (%)	2012 No. (%)	2013 No. (%)
White	226 (52.0)	169 (52.5)	143 (49.5)	128 (52.5)	110 (50.2)	14 (50.0)
African American	81 (18.6)	61 (18.9)	51 (17.6)	41 (16.8)	36 (16.4)	0 ( 0.0)
Latino	73 (16.8)	65 (20.2)	60 (20.8)	44 (18.0)	44 (20.1)	8 (28.6)
Asian/Pacific Islander	39 ( 9.0)	13 ( 4.0)	24 ( 8.3)	15 ( 6.1)	16 ( 7.3)	6 (21.4)
Native American	2 ( 0.5)	3 ( 0.9)	2 ( 0.7)	2 ( 0.8)	1 ( 0.5)	0 ( 0.0)
<b>Total (2)</b>	<b>435 ( 100)</b>	<b>322 ( 100)</b>	<b>289 ( 100)</b>	<b>244 ( 100)</b>	<b>219 ( 100)</b>	<b>28 ( 100)</b>

**Table 11. HIV/AIDS Cases by Race/Ethnicity and Year of Initial HIV Diagnosis#, San Francisco, 2008-2013**

Race/Ethnicity	Year of Initial HIV Diagnosis (1)					
	2008 No. (%)	2009 No. (%)	2010 No. (%)	2011 No. (%)	2012 No. (%)	2013 No. (%)
White	259 (50.7)	235 (51.8)	207 (48.4)	213 (52.5)	194 (46.9)	33 (45.8)
African American	80 (15.7)	67 (14.8)	59 (13.8)	65 (16.0)	46 (11.1)	4 ( 5.6)
Latino	116 (22.7)	93 (20.5)	103 (24.1)	80 (19.7)	106 (25.6)	20 (27.8)
Asian/Pacific Islander	40 ( 7.8)	38 ( 8.4)	40 ( 9.3)	31 ( 7.6)	48 (11.6)	13 (18.1)
Native American	3 ( 0.6)	1 ( 0.2)	3 ( 0.7)	2 ( 0.5)	8 ( 1.9)	2 ( 2.8)
<b>Total (2)</b>	<b>511 ( 100)</b>	<b>454 ( 100)</b>	<b>428 ( 100)</b>	<b>406 ( 100)</b>	<b>414 ( 100)</b>	<b>72 ( 100)</b>

\* Residents of San Francisco at time of HIV/AIDS diagnosis.

# Includes persons with a diagnosis of HIV (not AIDS), an initial diagnosis of HIV (not AIDS) and later diagnosed with AIDS, and concurrent diagnosis of HIV and AIDS. The initial year of HIV diagnosis was determined based on the earliest date of HIV antibody test, viral load or CD4 test, initiation of antiretroviral therapy, or patient self-report of a positive HIV test.

(1) Data in recent years are incomplete due to delays in case reporting.

(2) Total includes persons with multiple or unknown race.

**HIV/AIDS Quarterly Surveillance Report**  
**Summary of San Francisco Residents with HIV/AIDS\***  
**Reported as of 03/31/2013**

**Table 12. AIDS Incidence, Mortality, and Prevalence by Year, San Francisco, 1980-2013**

Year	Number of AIDS Cases Reported per Year	Number of AIDS Cases Diagnosed per Year (1)	Number of AIDS Deaths Occurred per Year (1)	Number of Persons Living with AIDS (1)
1980	0	3	0	3
1981	21	26	9	20
1982	75	99	32	87
1983	197	274	111	250
1984	451	558	273	535
1985	673	860	534	861
1986	981	1236	806	1291
1987	1287	1630	878	2043
1988	1407	1763	1039	2767
1989	1584	2161	1277	3651
1990	1686	2046	1365	4332
1991	1685	2287	1510	5109
1992	1638	2330	1641	5798
1993	4267	2070	1600	6268
1994	1913	1788	1595	6461
1995	1630	1563	1483	6541
1996	1237	1082	992	6631
1997	1060	807	424	7014
1998	793	696	402	7308
1999	722	578	353	7533
2000	624	558	350	7741
2001	495	513	324	7930
2002	439	497	321	8106
2003	531	560	304	8362
2004	553	485	310	8537
2005	498	476	312	8701
2006	420	446	289	8858
2007	536	452	270	9040
2008	553	435	229	9246
2009	348	322	210	9358
2010	401	289	195	9452
2011	331	244	165	9531
2012	286	219	140	9610
2013	59	28	12	9626
Total	29381	29381	19755	

\* Residents of San Francisco at time of HIV/AIDS diagnosis.

(1) Data in recent years are incomplete due to delays in case/death reporting.

**HIV/AIDS Quarterly Surveillance Report**  
**Summary of San Francisco Residents with HIV/AIDS\***  
**Reported as of 03/31/2013**

**Table 13. AIDS Cases by Initial AIDS-Defining Condition and Year of AIDS Diagnosis, San Francisco, 1980-2013**

Initial AIDS-Defining Condition (1)	Year of AIDS Diagnosis		
	1980-1989 No. (%)	1990-1995 No. (%)	1996-2013 No. (%)
Bacterial infections, recurrent, <13 years	1 ( 0.0)	5 ( 0.0)	3 ( 0.0)
Candidiasis of bronchi, trachea, or lungs	25 ( 0.3)	13 ( 0.1)	22 ( 0.3)
Candidiasis of esophagus	301 ( 3.5)	307 ( 2.5)	182 ( 2.1)
Invasive cervical cancer	1 ( 0.0)	1 ( 0.0)	7 ( 0.1)
Coccidioidomycosis, disseminated or extrapulmonary	8 ( 0.1)	3 ( 0.0)	4 ( 0.0)
Cryptococcosis, extrapulmonary	247 ( 2.9)	157 ( 1.3)	94 ( 1.1)
Cryptosporidiosis, intestinal (>1 mo. duration)	137 ( 1.6)	203 ( 1.7)	65 ( 0.7)
Cytomegalovirus (except liver, spleen, lymph nodes), CMV retinitis with loss of vision	175 ( 2.0)	139 ( 1.2)	52 ( 0.6)
HIV encephalopathy	54 ( 0.6)	93 ( 0.8)	21 ( 0.2)
Herpes simplex: chronic (>1 mo.), bronchitis, pneumonitis, esophagitis	225 ( 2.6)	196 ( 1.6)	70 ( 0.8)
Histoplasmosis	75 ( 0.9)	53 ( 0.4)	22 ( 0.3)
Isosporidiasis, intestinal (>1 mo. duration)	14 ( 0.2)	15 ( 0.1)	13 ( 0.1)
Kaposi's sarcoma	10 ( 0.1)	11 ( 0.1)	9 ( 0.1)
Lymphoid interstitial pneumonia/ pulmonary lymphoid hyperplasia, <13 years	1981 (23.0)	870 ( 7.2)	310 ( 3.6)
Lymphoma, Burkitt's (non-Hodgkin's)	3 ( 0.0)	1 ( 0.0)	0 ( 0.0)
Lymphoma, immunoblastic (non-Hodgkin's)	59 ( 0.7)	32 ( 0.3)	42 ( 0.5)
Lymphoma, primary in brain	216 ( 2.5)	163 ( 1.3)	82 ( 0.9)
Mycobacterium avium complex or M. kansasii, disseminated or extrapulmonary	27 ( 0.3)	16 ( 0.1)	11 ( 0.1)
Mycobacterium tuberculosis, pulmonary	217 ( 2.5)	166 ( 1.4)	57 ( 0.7)
Mycobacterium tuberculosis, disseminated or extrapulmonary	46 ( 0.5)	162 ( 1.3)	99 ( 1.1)
Mycobacterium other species, disseminated or extrapulmonary	72 ( 0.8)	93 ( 0.8)	37 ( 0.4)
Pneumocystis carinii pneumonia	19 ( 0.2)	27 ( 0.2)	9 ( 0.1)
Pneumonia, recurrent	3794 (44.1)	1809 (15.0)	796 ( 9.2)
Progressive multifocal leukoencephalopathy	37 ( 0.4)	144 ( 1.2)	121 ( 1.4)
Salmonella sepsis, recurrent	40 ( 0.5)	15 ( 0.1)	8 ( 0.1)
Toxoplasmosis of brain, >1 month of age	10 ( 0.1)	2 ( 0.0)	2 ( 0.0)
Wasting syndrome	178 ( 2.1)	102 ( 0.8)	40 ( 0.5)
CD4 T lymphocyte count <200 or percent <14 (2)	286 ( 3.3)	447 ( 3.7)	188 ( 2.2)
	1218 (14.1)	7483 (61.9)	6601 (76.0)
<b>Total (3)</b>	<b>8610 ( 100)</b>	<b>12084 ( 100)</b>	<b>8687 ( 100)</b>

\* Residents of San Francisco at time of HIV/AIDS diagnosis.

(1) Based on AIDS-defining conditions diagnosed in the same calendar month and year.

Cases may have more than one initial AIDS-defining condition.

(2) Cases whose initial AIDS defining condition is low CD4 count (or percent) only.

(3) Total represents unique AIDS cases diagnosed during the time period specified.

**HIV/AIDS Quarterly Surveillance Report  
Summary of San Francisco Residents with HIV/AIDS\*  
Reported as of 03/31/2013**

**Table 14. Cumulative AIDS Indicator Conditions among Persons with AIDS, San Francisco, 1980-2013**

AIDS Indicator Condition (1)	Total No. (%)
Bacterial infections, recurrent, <13 years	11 ( 0.0)
Candidiasis of bronchi, trachea, or lungs	168 ( 0.6)
Candidiasis of esophagus	2702 ( 9.2)
Invasive cervical cancer	15 ( 0.1)
Coccidioidomycosis, disseminated or extrapulmonary	63 ( 0.2)
Cryptococcosis, extrapulmonary	1905 ( 6.5)
Cryptosporidiosis, intestinal (>1 mo. duration)	1387 ( 4.7)
Cytomegalovirus (except liver, spleen, lymph nodes)	2501 ( 8.5)
CMV retinitis with loss of vision	2508 ( 8.5)
HIV encephalopathy	2515 ( 8.6)
Herpes simplex: chronic (>1 mo.), bronchitis, pneumonitis, esophagitis	471 ( 1.6)
Histoplasmosis	160 ( 0.5)
Isosporiasis, intestinal (>1 mo. duration)	68 ( 0.2)
Kaposi's sarcoma	6808 (23.2)
Lymphoid interstitial pneumonia/pulmonary lymphoid hyperplasia, <13 years	6 ( 0.0)
Lymphoma, Burkitt's (non-Hodgkin's)	562 ( 1.9)
Lymphoma, immunoblastic (non-Hodgkin's)	1146 ( 3.9)
Lymphoma, primary in brain	393 ( 1.3)
Mycobacterium avium complex or M. kansasii, disseminated or extrapulmonary	5123 (17.4)
Mycobacterium tuberculosis, pulmonary	667 ( 2.3)
Mycobacterium tuberculosis, disseminated or extrapulmonary	489 ( 1.7)
Mycobacterium other species, disseminated or extrapulmonary	343 ( 1.2)
Pneumocystis carinii pneumonia	11144 (37.9)
Pneumonia, recurrent	1046 ( 3.6)
Progressive multifocal leukoencephalopathy	316 ( 1.1)
Salmonella sepsis, recurrent	62 ( 0.2)
Toxoplasmosis of brain, >1 month of age	1182 ( 4.0)
Wasting syndrome	4395 (15.0)

\* Residents of San Francisco at time of HIV/AIDS diagnosis.

(1) Includes initial and subsequent diagnoses of AIDS indicator conditions. Cases may have more than one condition.

**HIV/AIDS Quarterly Surveillance Report  
Summary of San Francisco Residents with HIV/AIDS\*  
Reported as of 03/31/2013**

**Table 15. Living Adult/Adolescent HIV/AIDS Cases (>12 years) by Transmission Category, San Francisco**

Transmission Category	No.	(%)
Gay or bisexual male	11369	(72.3)
Heterosexual male injection drug user	537	( 3.4)
Heterosexual female injection drug user	400	( 2.5)
Gay or bisexual male injection drug user	2195	(14.0)
Lesbian or bisexual injection drug user	59	( 0.4)
Transgender (1)	346	( 2.2)
Hemophiliac	4	( 0.0)
Heterosexual contact male (2)	161	( 1.0)
Heterosexual contact female (2)	337	( 2.1)
Transfusion recipient	16	( 0.1)
Risk not reported/Other (3)	295	( 1.9)
<b>Total</b>	<b>15719</b>	<b>( 100)</b>

**Table 16. Living HIV/AIDS Cases by Transmission Category and Race/Ethnicity, San Francisco**

Transmission Category	White No. (%)	African American No. (%)	Latino No. (%)	Asian/ Pacific Islander No. (%)	Native American No. (%)
<b>Adult/Adolescent</b>					
Gay or bisexual male	7678 (78.7)	922 (45.1)	2041 (75.1)	670 (78.6)	46 (49.5)
Injection drug user (IDU)	336 ( 3.4)	440 (21.5)	114 ( 4.2)	20 ( 2.3)	14 (15.1)
Gay or bisexual male IDU	1484 (15.2)	376 (18.4)	329 (12.1)	81 ( 9.5)	25 (26.9)
Lesbian or bisexual IDU	26 ( 0.3)	19 ( 0.9)	7 ( 0.3)	1 ( 0.1)	2 ( 2.2)
Hemophiliac	3 ( 0.0)	1 ( 0.0)	0 ( 0.0)	0 ( 0.0)	0 ( 0.0)
Heterosexual (2)	106 ( 1.1)	204 (10.0)	134 ( 4.9)	48 ( 5.6)	5 ( 5.4)
Transfusion recipient	6 ( 0.1)	3 ( 0.1)	4 ( 0.1)	3 ( 0.4)	0 ( 0.0)
Risk not reported/Other (3)	108 ( 1.1)	71 ( 3.5)	72 ( 2.7)	23 ( 2.7)	1 ( 1.1)
<b>Pediatric (0-12 years) (4)</b>	<b>6 ( 0.1)</b>	<b>10 ( 0.5)</b>	<b>15 ( 0.6)</b>	<b>6 ( 0.7)</b>	<b>0 ( 0.0)</b>
<b>Total</b>	<b>9753 ( 100)</b>	<b>2046 ( 100)</b>	<b>2716 ( 100)</b>	<b>852 ( 100)</b>	<b>93 ( 100)</b>

\* Residents of San Francisco at time of HIV/AIDS diagnosis.

- (1) Transgender information was collected since September 1996. Data prior to this are incomplete.
- (2) Includes persons who have had heterosexual contact with a person with HIV/AIDS or with a person who is at risk for HIV.
- (3) Includes persons for whom risk information is incomplete (due to death, refusal to be interviewed or loss to follow-up), cases still under investigation, or interviewed patients who offered no plausible risk for HIV.
- (4) Includes children who have hemophilia or other coagulation disorder, have received a blood transfusion, or who have acquired their infection from an infected mother during the perinatal period.

**HIV/AIDS Quarterly Surveillance Report**  
**Summary of San Francisco Residents with HIV/AIDS\***  
**Reported as of 03/31/2013**

**Table 17. Living HIV/AIDS Cases by Gender, Age Group and Race/Ethnicity, San Francisco**

Male Current Age (Years)	White No. (%)	African American No. (%)	Latino No. (%)	Asian/ Pacific Islander No. (%)	Native American No. (%)	Total (1) No. (%)
0 - 12	0 ( 0.0)	0 ( 0.0)	0 ( 0.0)	0 ( 0.0)	0 ( 0.0)	1 ( 0.0)
13 - 19	1 ( 0.0)	4 ( 0.3)	1 ( 0.0)	3 ( 0.4)	0 ( 0.0)	9 ( 0.1)
20 - 24	34 ( 0.4)	24 ( 1.6)	39 ( 1.6)	7 ( 0.9)	0 ( 0.0)	108 ( 0.7)
25 - 29	168 ( 1.8)	48 ( 3.1)	117 ( 4.8)	44 ( 5.8)	3 ( 3.8)	390 ( 2.7)
30 - 39	807 ( 8.6)	131 ( 8.5)	459 (18.9)	170 (22.4)	19 (24.4)	1652 (11.4)
40 - 49	2870 (30.5)	457 (29.5)	917 (37.7)	286 (37.6)	30 (38.5)	4663 (32.2)
50 - 59	3510 (37.3)	575 (37.1)	664 (27.3)	171 (22.5)	25 (32.1)	5012 (34.6)
60 +	2024 (21.5)	309 (20.0)	234 ( 9.6)	79 (10.4)	1 ( 1.3)	2665 (18.4)
Male subtotal	9414 ( 100)	1548 ( 100)	2431 ( 100)	760 ( 100)	78 ( 100)	14500 ( 100)
Female Current Age (Years)	White No. (%)	African American No. (%)	Latino No. (%)	Asian/ Pacific Islander No. (%)	Native American No. (%)	Total (1) No. (%)
0 - 12	0 ( 0.0)	1 ( 0.3)	1 ( 0.6)	0 ( 0.0)	0 ( 0.0)	2 ( 0.2)
13 - 19	1 ( 0.4)	2 ( 0.5)	5 ( 2.8)	0 ( 0.0)	0 ( 0.0)	10 ( 1.1)
20 - 24	2 ( 0.8)	4 ( 1.1)	6 ( 3.3)	2 ( 3.4)	0 ( 0.0)	14 ( 1.5)
25 - 29	11 ( 4.2)	9 ( 2.4)	14 ( 7.8)	0 ( 0.0)	0 ( 0.0)	36 ( 3.9)
30 - 39	30 (11.4)	41 (10.9)	33 (18.3)	15 (25.9)	2 (15.4)	128 (14.0)
40 - 49	98 (37.1)	105 (27.9)	47 (26.1)	22 (37.9)	2 (15.4)	278 (30.4)
50 - 59	90 (34.1)	155 (41.1)	45 (25.0)	12 (20.7)	9 (69.2)	318 (34.8)
60 +	32 (12.1)	60 (15.9)	29 (16.1)	7 (12.1)	0 ( 0.0)	128 (14.0)
Female subtotal	264 ( 100)	377 ( 100)	180 ( 100)	58 ( 100)	13 ( 100)	914 ( 100)
Transgender (2) Current Age (Years)	White No. (%)	African American No. (%)	Latino No. (%)	Asian/ Pacific Islander Native American No. (%)	Total (1) No. (%)	
13 - 39	15 (20.0)	36 (29.8)	43 (41.0)	10 (27.8)	111 (32.1)	
40 +	60 (80.0)	85 (70.2)	62 (59.0)	26 (72.2)	235 (67.9)	
Transgender subtotal	75 ( 100)	121 ( 100)	105 ( 100)	36 ( 100)	346 ( 100)	

\* Residents of San Francisco at time of HIV/AIDS diagnosis.

(1) Total includes persons with multiple or unknown race.

(2) Transgender information was collected since September 1996. Certain age or race/ethnic groups are combined for transgender cases because of small number.