



San Francisco Monthly STD Report

Data for September, 2013
Report prepared October 16, 2013

Table 1. STDs among residents, September, 2013.

	2013		2012	
	month	YTD	month	YTD
Gonorrhea	253	1,844	200	1,881
Male rectal gonorrhea	82	593	76	591
Chlamydia	385	3,778	358	3,637
Male rectal chlamydia	93	881	87	821
Syphilis (adult total)	74	887	89	796
Primary & secondary	36	389	40	386
Early latent	31	378	33	292
Unknown latent	0	1	0	1
Late latent	7	119	16	117
Neurosyphilis	0	4	0	5
Congenital syphilis	0	0	0	0
PID	4	58	10	89




Figure 1. Monthly STD trends for San Francisco. Syphilis cases different scale.

Table 2. Selected STD cases and rates for San Francisco by age and race/ethnicity, 2013 through September only. Rates equal cases per 100,000 residents per year based on 2000 US Census data.

	(All races)		Asian/PI		African American		Hispanic		White	
	cases	rate	cases	rate	cases	rate	cases	rate	cases	rate
<i>All ages</i>										
Chlamydia	3,778	648.5	519	274.2	572	1,190.4	560	681.9	1,249	491.4
Gonorrhea	1,844	316.5	163	86.1	200	416.2	284	345.8	993	390.7
Early syphilis	767	131.7	56	29.6	76	158.2	156	190.0	441	173.5
<i>Under 20 yrs</i>										
Chlamydia	377	978.5	34	208.0	159	3,219.8	56	674.0	37	444.7
Gonorrhea	57	147.9	1	6.1	32	648.0	3	36.1	13	156.2
Early syphilis	1	2.6	0	0.0	1	20.3	0	0.0	0	0.0

Table 3. HIV testing among City Clinic patients, September, 2013.

	2013		2012	
	month	YTD	month	YTD
Tests	589	5,066	480	3,875
Antibody positive	6	49	2	59
Acute HIV infection	2	20	2	18

Note: All statistics are provisional until the annual report is released for the year. Morbidity is based on date of diagnosis. Totals for past months may change due to delays in reporting from labs and providers.




Figure 2. City Clinic visits by gender and orientation.




Figure 3. Average number of recent* sex partners for City Clinic visits by gender and sexual orientation. *Recall period is 3 months.

Declines in adolescent Chlamydia and gonorrhea rates with overall increases seen in reported chlamydia, gonorrhea, and early syphilis, San Francisco 2012

STD Prevention and Control Services released its 2012 annual summary showing increases in all three reportable, bacterial STDs. Compared to 2011, the rate of chlamydia in San Francisco increased by 2.9% in 2012. During the same period, reported gonorrhea increased by 10.5% and early syphilis increased 31.1%. However, among adolescents (persons under the age of 21), chlamydia and gonorrhea rates declined 11.5% and 15.2%, respectively, compared to 2011. Additionally, adolescent chlamydia and gonorrhea disease rates declined for both males and females. The STD Section continues to prioritize activities directed toward STD prevention in the highest risk populations in San Francisco, adolescents and men who have sex with men. The entire 2012 annual summary is available at <http://www.sfdph.org/dph/files/reports/default.asp#annlSTD>. KB

Table 4. Patient visits at City Clinic, September, 2013.

	2013		2012			
	month	YTD	month	YTD	month	YTD
(Total visits)	1,562	100%	14,377	100%	1,453	13,877
<i>Gender</i>						
women	329	21%	3,173	22%	389	3,780
gay/bi men	785	50%	6,809	47%	613	5,549
hetero men	448	29%	4,395	31%	451	4,548
<i>Race/ethnicity</i>						
Asian/PI	215	14%	1,975	14%	199	1,857
African American	228	15%	2,321	16%	243	2,413
Hispanic	317	20%	2,984	21%	319	2,968
Native American	5	0%	69	0%	10	65
White	779	50%	6,857	48%	669	6,450
<i>Age at visit</i>						
under 20 years	34	2%	314	2%	32	431
20+ years	1,528	98%	14,063	98%	1,421	13,446
<i>Reason for visit</i>						
new problem	937	60%	8,625	60%	926	8,744
follow-up	625	40%	5,752	40%	527	5,133




Figure 4. Average visits per day to City Clinic, with minimum and maximum for month.